



2.5M INTERNAL CORNER TRIM

COMPOSITE SLATTED CLADDING



Internal corner trims are capped composite trims designed specifically for slatted wall cladding projects, offering a seamless and professional solution for internally facing corners on exterior walls. Featuring a smooth, plain finish, these trims are available in all six colours to perfectly match or contrast with your Cladco slatted wall cladding panels, ensuring a cohesive installation.

COLOUR RANGE




TRIM SPECIFICATIONS

SKU	(Walnut) WPCSLATICW (Teak) WPCSLATIC T (Stone Grey) WPCSLATICS (Coffee) WPCSLATICC (Charcoal) WPCSLATICB (Silver Grey) WPCSLATICSG
Length	2.5m
Width (inc. Lip)	39mm x 95mm
Thickness	26mm
Finish	Smooth
Weight	3kg


TEST CERTIFICATIONS

FSC® Certification

SA-COC-005542



Please Note: Images are for illustration purposes only. Actual products may vary slightly from those shown.



MATERIALS

Capped composite wood-plastic blend
– Made from 60% hardwood fibres and 40% recycled plastics for a durable and sustainable finish.



SURFACES

The corner trims feature a plain, smooth surface, providing a clean and modern aesthetic.



ACCESSORIES

Available accessories include composite slatted wall cladding panels, internal corner profile trim, external corner trim, start profile trim, and double end profile trims for a complete and seamless installation.



LOW MAINTENANCE

Our trims are designed for long-lasting performance, offering resistance to weathering, staining, and mould. Their rot-resistant properties ensure a durable, low-maintenance finish, enhancing the longevity and appeal of your cladding project.



INSTALLATION

Designed to complete your cladding project, our internal corner trims sit securely on top of composite or timber battens, allowing Cladco slatted panels to join together seamlessly for a professional and polished finish.

GENERAL CLEANING

For everyday debris such as leaves, berries, plants, and animal droppings, simply clear the surface with a brush. Regular maintenance is recommended to keep your cladding clean and in optimal condition.

To clean, mix a mild detergent with lukewarm water and gently remove dirt and buildup using a soft cloth or brush.

NATURAL WEATHERING

Cladco composite wall cladding features an encapsulated, non-porous outer layer that protects against weathering, water, and UV damage.

Over time, some natural weathering may occur depending on the location and sunlight exposure. This is a normal part of the material's character and does not affect its long-term durability or performance.

RECYCLED MATERIALS & SUSTAINABILITY

Cladco capped internal composite corner trims are manufactured using recycled materials, helping to reduce environmental impact. Each trim is made from 60% recycled hardwood fibres and 40% post-consumer recycled plastics, providing a low-maintenance and long-lasting solution.

To enhance durability, additional bonding agents are used to create a strong composite core, which is then capped with a hard-wearing outer layer for superior protection.

All Cladco composite products are available as FSC® certified at no additional cost. Please request FSC® certification when placing your order if required.



www.cladco.co.uk



T: 01837 659901 E: info@cladco.co.uk

CLADCO
PROFILES

INTERNAL CORNER TRIM INSTALLATION ADVICE

Secure slatted wall cladding panels at inward-facing corners with Cladco internal corner trims, designed to deliver a seamless and professional finish. Manufactured from the same capped composite material as Cladco slatted panels, these trims ensure a consistent and durable installation.


Designed to complete your cladding project, internal corner trims fit over the batten substructure, allowing slatted panels to join together effortlessly. Featuring a smooth, plain surface, they provide a clean and polished appearance.




Adhering to these guidelines will ensure the proper installation and longevity of your slatted cladding project. Failure to follow these guidelines may void the product warranty.

For full installation details, please refer to our external slatted cladding installation guide.


PRODUCT ACCESSORIES




**2.5M COMPOSITE
SLATTED CLADDING**




**SINGLE
START TRIM**



**DOUBLE
END TRIM**



**EXTERNAL
CORNER TRIM**



CORNER TRIM



www.cladco.co.uk
T: 01837 659901 E: info@cladco.co.uk

CLADCO
PROFILES